

Get a Quote

## Overview

Cisco Catalyst 2960, 2960-C and 2960-S switches support voice, video, data, and highly secure access. They also deliver scalable management as your business needs change. The Common Features are included: Enhanced security including Cisco TrustSec for providing authentication, access control, and security policy administration, Multiple Fast or Gigabit Ethernet performance options, Cisco EnergyWise for power management, Scalable network management.

- 48 Ethernet 10/100 ports and 2 10/100/1000 TX uplinks
- 1 RU fixed-configuration
- LAN Base image

### Catalyst WS-C2960-48TT-L Switch Front Panel

WS-C2960-48TT-L

1	10/100 ports	2	10/100/1000 uplink ports
---	--------------	---	--------------------------

## Specification

Specifications	
Type	Fixed
Topology	Ethernet (10/100BaseTX) Ethernet (10/100/1000BaseT)
Maximum Port density	48 10/100 ports
Uplinks	2 10/100/1000 ports
Modular/Expansion Slots	n/a
Architecture	Layer 2 Switching (basic connectivity), Layer 2 Switching (intelligent services), Voice Enabled
Form Factor	Fixed, Rack Mountable, Standalone/Clustering
Dimensions	1.73 x 17.5 x 9.3 in.
DRAM	64 MB
Features	
Specialized Service Modules	n/a
Security	
DHCP Snooping	<input type="checkbox"/>
Dynamic ARP Inspection	
IP Source Guard	
RP Rate Limiters	

TCP Intercept	
802.1x	<input type="checkbox"/>
Port Security	<input type="checkbox"/>
Dynamic VLANs	<input type="checkbox"/>
Private VLANs	
Private VLAN Edge	<input type="checkbox"/>
Secure Shell	<input type="checkbox"/>
SNMPv3	<input type="checkbox"/>
Unicast RPF	
ACLs (L2-L4)	<input type="checkbox"/>
Kerberos	<input type="checkbox"/>
TACACS+	<input type="checkbox"/>
RADIUS	<input type="checkbox"/>
High Availability/Resiliency	
Hardware Redundancy	External Redundant Power Supply
High Availability/Resiliency	PVST, Broadcast Suppression, Unicast Suppression, Multicast Suppression, Spanning Tree, Portfast, Uplink Fast, Backbone Fast, 802.1s, 802.1w
Management	
Management features	SPAN, RSPAN, CiscoView, Cisco Discover Protocol (CDP), Virtual Trunking Protocol (VTP), Telnet Client, BOOTP, TFTP, CiscoWorks, CWSI, RMON, SNMP, Clustering, Web-Based Management
Scalability	
WAN Interface Support	n/a
Throughput	10.1 Mpps
Backplane Capacity	16 Gbps
Number of VLANs	255

## Want to Buy

Order Now

Get a Quote

## Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of [Cisco](#), [Huawei](#), [HPE](#), [Dell](#), [Hikvision](#), [Juniper](#), [Fortinet](#), etc.



200+



18,000+



\$20,000,000



50%-98%



100%

## Contact Us

---

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)
- Email: [sales@router-switch.com](mailto:sales@router-switch.com)