WS-C2960S-48TS-L Datasheet





Overview

Cisco Catalyst 2960-S Series Switches WS-C2960S-48TS-L is a model, designed for enterprise, midmarket, and branch office networks equally. It has 48 RJ-45 10/100/1000Base-T Network LAN ports and provides LAN Base feature set.

Quick Specs

Figure 1 shows the appearance of the WS-C2960S-48TS-L.




Table 1 shows the Quick Spec of the WS-C2960S-48TS-L.

Product Code	WS-C2960S-48TS-L
Enclosure Type	Rack-mountable - 1U
Feature Set	LAN Base
Uplink Interfaces	Four 1G Small Form-Factor Pluggable(SFP)
Downlink Ports	48 × Ethernet 10/100/1000 ports
Expansion Slot(s)	1 (total) / 1 (free) x Stacking Module
Switching capacity	176 Gbps
Forwarding performance (64-byte packet size)	41.7 Mpps
DRAM	128 MB
Flash Memory	64 MB
Dimensions	44.5 × 38.6 × 4.5 cm
Package Weight	9.19 Kg

Product Details

Figure 2 shows the front panel of the WS-C2960S-48TS-L.



Note:

(1)	Mode Button	(5)	RJ45 Console Port
(2)	48 × Ethernet 10/100/1000 ports	(6)	USB mini-Type B (console) Port
(3)	SFP Module Slots	(7)	USB Type A Port
(4)	Ethernet Management Port		

Figure 3 shows the back panel of the WS-C2960S-48TS-L.



Note:

(1)	1 (total) / 1 (free) x Stacking Module	(3)	RPS Connector
(2)	Fan Exhaust	(4)	AC power connector

The Accessories

Table 2 shows some accessories of the WS-C2960S-48TS-L.

Models	Description
C2960S-STACK	Catalyst 2960S FlexStack Stack Module optional for LAN Base
GLC-LH-SM	GE SFP, LC connector LX/LH transceiver
GLC-SX-MMD	1000BASE-SX SFP transceiver module, MMF, 850nm, DOM
CAB-CONSOLE-RJ45	Console Cable 6ft with RJ45 and DB9F

Compare to Similar Items

Table 3 shows the comparison of similar items.

Models	WS-C2960S-24TS-L	WS-C2960S-48TS-L
Ports	24 × Ethernet 10/100/1000 ports FP)	48 × Ethernet 10/100/1000 ports FP)
Switching Capacity	176 Gbps	176 Gbps
Uplinks	4 x 1G SFP	4 x 1G SFP
Feature Set	LAN Base	LAN Base
Stackable	Yes	Yes

WS-C2960S-48TS-L Specifications

Get more information

Do you have any question about the WS-C2960S-48TS-L?

Contact us now via Live Chat or sales@router-switch.com.

Specification

General Information	
Manufacturer	Cisco
Product ID:	WS-C2960S-48TS-L
Product Description:	Cisco CAT2960S Stack 48 Gige-4 x SFP LAN Base
Product Type:	Ethernet Switch
	Marketing Information
The Cisco Catalyst 2960S-48TS-L Ethernet Switch is the leading Layer 2 edge, providing improved ease of use, highly secure business operations, improved sustainability, and a borderless network experience. The Cisco Catalyst 2960-S Switch includes new Cisco FlexStack switch stacking capability with 1 and 10 Gigabit connectivity, and Power over Ethernet Plus (PoE+) with the Cisco Catalyst 2960-S Switch offering fast Ethernet access connectivity and PoE capabilities. The Cisco Catalyst 2960-S is fixed-configuration access switches designed for enterprise, mid-market, and branch office networks to provide lower total cost of ownership.	
Interfaces/Ports	
Number of Ports:	48
Gigabit Ethernet Port:	Yes
Interfaces/Ports:	48 x RJ-45 10/100/1000Base-T Network LAN
Media & Performance	
Forwarding/Filtering Rate:	77.4 Mpps
Switching Throughput:	176 Gbps
I/O Expansions	
Number of Expansion Slots:	4
Expansion Slots:	(4 Total) SFP (mini-GBIC)
Network & Communication	
Layer Support:	2

Management & Protocols	
Manageable:	Yes
Management:	IEEE 802.1p QoS DHCP IEEE 802.1Q VLAN RMON CLI CiscoWorks LAN Management Solution SNMPv3 Syslog
Memory	
Standard Memory:	128MB
Memory Technology:	DRAM
Flash Memory:	64MB
Software	
Operating System:	Cisco IOS
Power Description	
Power Source:	Power Supply
Redundant Power Supply:	Yes
Physical Characteristics	
Compatible Rack Unit:	1U
Form Factor:	Rack-mountable
Dimensions:	1.75" Height x 17.50" Width x 11.80" Depth
Weight (Approximate):	10.50 lb

Want to Buy

Order Now

Get a Quote

Why Router-switch.com

As a leading network hardware supplier, Router-switch.com focuses on original new ICT equipment of Cisco, Huawei, HPE, Dell, Hikvision, Juniper, Fortinet, etc.



Countries we Sold



Customers Trusted



Inventory Available



Off Global List Price



Safe Online Shopping

Contact Us

- Tel: +1-626-655-0998 (USA) +852-3050-1066 / +852-3174-6166
- Fax: +852-3050-1066 (Hong Kong)

• Email: sales@router-switch.com