

















TURBO HD CCTV-DVR			
مدل	تصویر محصول	توضیحات محصول	قیمت (ریال)
ANALOGUE -2MP			
DS-2CE76D0T-ITMF		2 MP Fixed Turret Camera 2 MP turret camera EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	IRR 18,580,000
DS-2CE76D0T-ITMFS		2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 21,250,000
DS-2CE76D3T-ITPF		2 MP Ultra Low Light Indoor Fixed Turret Camera, 2 MP turret camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology, 3D DNR technology delivers clean and sharp images, EXIR 2.0: advanced infrared technology with 30 m IR distance, 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).	IRR 19,680,000
DS-2CE76D3T-ITMF		2 MP Ultra Low Light Fixed Turret Camera, 2 MP turret camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 26,940,000
DS-2CE78D0T-IT3FS		2 MP Audio Fixed Turret Camera, 2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 26,940,000
DS-2CE56D0T-VFIR3F		2 MP high performance CMOS - 1920 × 1080 resolution - 2.8 mm, 3.6 mm fixed lens - Up to 40 m IR distance - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP66 weatherproof - True Day/Night, Smart IR - Lens 2.8 - 12 mm @ F1.4	IRR 36,420,000
DS-2CE16D0T-ITF		2 MP high performance CMOS - 1920 × 1080 resolution - 2.8 mm, 3.6 mm fixed lens - Up to 20 m IR distance - 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) - IP66 weatherproof - True Day/Night, Smart IR	IRR 16,040,000
DS-2CE16D0T-ITFS (2.8mm)		2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable, EXIR 2.0: advanced infrared technology with 30 m IR distance, Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 19,910,000
DS-2CE16D0T-ITFS (3.6mm)		2 MP coaxial audio camera Enhancing safety with discreet and economical built-in microphone Transmits audio over the coaxial cable, EXIR 2.0: advanced infrared technology with 30 m IR distance, Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 19,670,000
DS-2CE16D3T-IT3F		2 MP bullet camera Strong night performance, capturing images in ultra-low light down to 0.005 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 50 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 25,130,000
DS-2CE17D0T-IT1F		2 MP Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 30 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR 20,390,000
DS-2CE17D0T-IT3F		2 MP Fixed Bullet Camera High quality imaging with 2 MP, 1920 × 1080 resolution 2.8 mm, 3.6 mm, 6 mm, 8 mm, 12 mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR 26,170,000
DS-2CE12DF3T-F ColorVu		2 MP ColorVu Fixed Bullet Camera 24/7 full color imaging, Warm supplemental light with 40 m range 2.8 mm, 3.6 mm, 6 mm fixed focal lens, Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images, Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)	IRR 37,810,000
DS-2CE12DF3T-FS 2.8MM		High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR 43,300,000
DS-2CE70DF3T-PF		2 MP ColorVu Fixed Turret Camera High quality imaging with 2 MP, 1920 × 1080 resolution, 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 20 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS)	IRR 28,960,000
DS-2CE72DF3T-F		2 MP ColorVu Fixed Turret Camera, High quality imaging with 2 MP, 1920 × 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images 2.8 mm, 3.6 mm, 6 mm fixed focal lens, Up to 40 m white light distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)	IRR 28,710,000

DS-2CE10DF3T-FS		<p>2 MP ColorVu Audio Fixed Mini Bullet Camera High quality imaging with 2 MP, 1920 x 1080 resolution 24/7 color imaging with F1.0 aperture Clear imaging against strong back light due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images, 2.8 mm, 3.6 mm fixed focal lens Up to 20 m white light distance for bright night imaging High quality audio with audio over coaxial cable, built-in mic One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 38,490,000
DS-2CE10DF0T-F		<p>2 MP ColorVu Fixed Mini Bullet Camera. High quality imaging with 2 MP, 1920 x 1080 resolution. 24/7 color imaging with F1.0 aperture. 3D DNR technology delivers clean and sharp images. 2.8 mm, 3.6 mm, 6 mm fixed focal lens. Up to 20 m white light distance for bright night imaging.</p>	IRR 36,300,000
DS-2CE79H0T-IT3ZF		<p>5 MP Motorized Varifocal Turret Camera High quality imaging with 5 MP, 2560 x 1944 resolution 2.7 mm to 13.5 mm motorized varifocal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 51,730,000
DS-2CE16H0T-ITPFS (2.8mm)		<p>5 MP Audio Fixed Mini Bullet Camera 5 MP coaxial audio camera Enhanced safety with discreet and economical built-in microphone Transmit audio over coaxial cable EXIR 2.0: advanced infrared technology with 25 m IR distance Water and dust resistant (IP67)</p>	IRR 24,200,000
DS-2CE17H0T-IT3F(3.6mm)		<p>5 MP Fixed Bullet Camera High quality imaging with 5 MP, 2560 x 1944 resolution 2.8 mm, 3.6 mm, 6 mm, 8mm, 12mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 27,230,000
DS-2CE17H0T-IT3FS		<p>High quality imaging with 5 MP, 2560 x 1944 resolution 2.8 mm, 3.6 mm, 6 mm fixed focal lens Up to 40 m IR distance for bright night imaging One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67) High quality audio with audio over coaxial cable, built-in mic</p>	IRR 33,660,000
DS-2CE76H0T-ITMF		<p>5 MP coaxial - Enhanced safety with discreet and economical Transmit audio over coaxial cable. EXIR 2.0: advanced infrared technology with 30 m IR distance, Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	IRR 24,220,000
DS-2CE72HFT-F28		<p>5 MP ColorVu Fixed Turret Camera, 5 MP full time color turret camera 24/7 full color imaging, 2.8 mm fixed focal lens Warm supplemental light with 20 m range Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images Water and dust resistant (IP67), 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS).</p>	IRR 45,380,000
DS-2CE78H0T-IT1F 2.4mm		<p>5 MP Camera 5 MP, 2560 x 1944 resolution 2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 30 m IR distance 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	IRR 26,960,000
DS-2CE78H0T-IT3FS (3.6mm)		<p>5 MP Audio Fixed Turret Camera 5 MP, 2560 x 1944 resolution Digital WDR 2.8 mm, 3.6 mm, 6 mm fixed focal lens Smart IR, up to 40 m IR distance Audio over coaxial cable, built-in mic 4 in 1 video output (switchable TVI/AHD/CVI/CVBS) IP67</p>	IRR 28,740,000
DS-2CE72KF0T-FS		<p>High quality imaging with 3K, 2960 x 1665 resolution 24/7 colour imaging with F1.0 aperture 2.8 mm, 3.6 mm fixed focal lens Up to 40 m white light distance for bright night imaging High quality audio with audio over coaxial cable, built-in mic One port for four switchable signals (TVI/AHD/CVI/CVBS) Water and dust resistant (IP67)</p>	IRR 42,260,000
DS-2CE78U8T-IT3		<p>4K Ultra-Low Light Turret Camera - 8.29 Megapixel high-performance CMOS - Ultra-low light - 3840 x 2160 resolution - 2.8 mm, 3.6 mm, 6 mm fixed focal lens - 120 dB true WDR, 3D DNR - EXIR 2.0, smart IR, up to 60m IR distance - IP67</p>	IRR 77,320,000
DS-2AE4225TI-D		<p>High quality imaging with 2 MP resolution - Excellent low-light performance via powered-by-DarkFighter technology - Clear imaging against strong back lighting due to 120 dB WDR technology - Pan and tilt ability enables camera to monitor zones of interest - 25 x optical zoom allows for closer viewing of subjects in expansive areas - Up to 100 m IR range ensures safety at night - Water and dust resistant (IP66)</p>	IRR 228,440,000
IDS-7204HQH-M1/S		<p>4-ch 1080p 1U H.265 AcuSense DVR 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps, 5 signals input adaptively (HDTVI/AHD/CVI/CVBS/IP) Up to 6 network cameras can be connected.</p>	IRR 52,850,000
DS-7204HUHI-K1		<p>Analog video input 4-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - 8 MP@8 fps is only available for channel 1 of DS-7204HUHI-K1 - Frame rate: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 4-ch (up to 8-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 1920 x 1080/60Hz - Audio input 4-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity</p>	IRR 76,510,000
DS-7204HUHI-K1/P		<p>Analog video input 4-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 - 8 MP@8 fps is only available for channel 1 of DS-7204HUHI-K1 - Frame rate: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/4CIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input : 4-ch (up to 8-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch 2K (2560 x 1440)/60Hz - Audio input 4-ch, RCA - Capacity 1 SATA interface Up to 10 TB capacity - Provide power supply to PoC cameras over coaxial cable</p>	IRR 76,230,000

IDS-7204HUHI-M1/S		<p>4-ch 5 MP 1U H.265 AcuSense DVR, 4 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP Lite @ 15 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 8 network cameras can be connected.</p>	IRR 78,190,000
IDS-7208HUHI-M1/S		<p>8-ch 5 MP 1U H.265 AcuSense DVR, 8 channels and 1 HDD 1U AcuSense DVR False alarm reduction by human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP), Up to 16 network cameras can be connected.</p>	IRR 140,810,000
IDS-7208HTHI-M2/S		<p>Analog video input 8-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/ACIF/VGA/CIF Video compression H.265 Pro+/H.265 Pro/H.265+/H.264+/H.264 Frame rate: 8 MP@15 fps, 5 MP@20 fps, 3 MP@18 fps, 4 MP/1080p/720p/WD1/ACIF/VGA/CIF@25 fps (P)/30 fps (N) IP video input: 8-ch (up to 16-ch) Up to 8 MP resolution Supports H.265+/H.265/H.264+/H.264 IP cameras HDMI output: 1-ch, 4K (3840 × 2160)/30Hz Audio input: 4-ch, RCA Capacity: 2 SATA interfaces, up to 10 TB capacity for each disk</p>	IRR 202,450,000
IDS-7216HUHI-M2/S		<p>16-ch 5 MP 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 32 network cameras can be connected</p>	IRR 261,550,000
IDS-7216HQHI-M1/S		<p>16-ch 1080p 1U H.265 AcuSense DVR False alarm reduction through human and vehicle target classification based on deep learning Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 24 network cameras can be connected Record from and Manage up to 16 Cameras</p>	IRR 130,530,000
IDS-7216HQHI-M2/S		<p>Supports up to 8 IP Channels Up to 2MP Recording Resolution 20TB HDD Capacity (Available Separately) H.265+/H.264+/H.265/H.264 Video Codecs Two-Way Audio HDMI & VGA Video Outputs</p>	IRR 174,450,000
DS-7216HGHI-K1		<p>16-ch 1080p Lite 1U H.265 DVR Deep learning based human and vehicle targets classification of Motion Detection 2.0H.265 Pro+/H.265 Pro/H.265 video compressionHDTV/AHD/CVI/CVBS/IP video inputAudio via coaxial cable Up to 18-ch IP camera inputs (up to 5 MP)Up to 1080p Lite@15 fps encoding capability Max. 1200 m for 720p HDTV signal</p>	IRR 58,830,000
DS-7216HUHI-K2		<p>Analog video input: 16-ch - Encoding resolution 8 MP/5 MP/4 MP/3 MP/1080p/720p/WD1/ACIF/VGA/CIF - Video compression H.265 Pro+/H.265 Pro/H.265+/H.264+/H.264 - Frame rate: 8 MP@8 fps/5MP@12 fps/4 MP@15 fps/3 MP@18 fps 1080p/720p/WD1/ACIF/VGA/CIF@25 fps (P)/30 fps (N) - IP video input: 16-ch (up to 32-ch) Up to 8 MP resolution - Support H.265+/H.265/H.264+/H.264 IP cameras - HDMI output 1-ch, 4K (3840 × 2160)/30Hz - Audio input 4-ch, RCA - Capacity 2 SATA interface Up to 10 TB capacity for each disk</p>	IRR 247,140,000
IDS-7232HQHI-M2/S		<p>32-ch 1080p 1U H.265 AcuSense DVR Deep learning-based motion detection 2.0 for all analog channels Deep learning-based perimeter protection Efficient H.265 pro+ compression technology Encoding ability up to 1080p @ 15 fps 5 signals input adaptively (HDTV/AHD/CVI/CVBS/IP) Up to 40 network cameras can be connected</p>	IRR 272,230,000
<p>برای اطلاع از موجودی و قیمت سایر محصولات با همکاران ما در بخش فروش در ارتباط باشید</p> <p>021-88529107 - 021-86047721</p>			